



EGLV

Emschergenossenschaft
Lippeverband


Examples on NbS Typologies for Flood Prevention

Dirk Kurberg
3 June 2022, G7



EGLV

Agenda

- 
- 1. Introduction EGLV**
 - 2. Lake Phoenix, Dortmund**
 - 3. Ecological Water Re-design**
 - 4. Decentral rainwater management**



EGLV


/ 1. Introduction



EGLV

Emschergenossenschaft Lippeverband

Where we are






EGLV

Emschergenossenschaft Lippeverband

Waterboard in Northrhine-Westphalia





Emschergenossenschaft
Lippeverband



EGLV

Emschergenossenschaft Lippeverband

Catchment areas







EGLV

Emschergenossenschaft Lippeverband

Coal mining history







EGLV

Emschergenossenschaft Lippeverband


Catchment areas



EGLV

Emschertal around 1900

Boye at Essen-Karnap





Start of technical solutions

In response to diseases and epidemics






EGLV

The Emscher conversion

Start of the generation project 1990





EGLV

Der Emscherum Start eines Generations



Emschergenossenschaft
Lippeverband




Groundbreaking ceremony 1992



EGLV

Emschergenossenschaft Lippeverband

Integrated Water Management around the Water Cycle





EGLV

Flood Retention Measures

Climate change – Concepts for the future
answers from water management




**Enlargement of technical
measures**



EGLV

Flood Retention Measures

Climate change – Concepts for the future
answers from water management






EGLV

Nature-based measures

Applications





EGLV

Flood Retention Measures

Technical solutions vs. Natural based solutions



Technical solutions

- Massive (concrete) retention bassins
- River Weirs
- Artificial water channels
- Concrete embankments

Nature-based solutions

- Restauration of wetlands
- Dismantling of dykes
- Use of available space like football fields, farmland and woodland
- Use of wood structures
- Decoupling measures



EGLV

Nature-based solutions

Two main measure groups



Ecological watercourse re-design

- Widening of rivers, meadow expansion
- Slow down the flow velocity
- Dismantling of dykes (if possible)
- Lengthen the river bed

Decentral rain water management

- Decoupling measures
- Use of additional flood retention space in urban areas



EGLV

/ 2. Lake Phoenix, Dortmund



EGLV

Lake Phoenix

Retention and Leisure



Emschergeossenschaft
Lippeverband



EGLV

Lake Phoenix

The former Steelwork, Krupp






EGLV

Lake Phoenix

The new layout






EGLV

Lake Phoenix

But: Maintenance & development Plan
based on hydraulic modelling necessary






EGLV

Lake Phoenix

Vegetation to slow down flow velocity (retention)






EGLV

Lake Phoenix

Phoenix site




Emschergenossenschaft
Lippeverband



EGLV

Zoological garden „Zoom“ Gelsenkirchen

Multifunctional use of areas



- multi functional use of areas:
Emschergenossenschaft & Zoo Gelsenkirchen
- Volume: 165.000 m³



Emschergenossenschaft
Lippeverband

ZOOM
ERLEBNISWELT
Gelsenkirchen



EGLV


/ 3. Ecological Water Re-design measures



EGLV

Natural water retention meausres

Ecological watercours redesign, Emscher







EGLV

Natural water retention measures

River meadow expansions






EGLV

Natural water retention meausres

Ecological watercours redesign, Emscher 1952






EGLV

Natural water retention measures

Ecological watercours redesign, Emscher 2016






EGLV

Watercourse Conversion

From the industrial conurbation to the green heart of the region



Emschergenossenschaft
Lippeverband






EGLV

Dyke Dismantling

Boye River, new space for retention







EGLV

Ecological Watercourse re-design

Effect on flood behavior - Massener Bach







EGLV

Ecological Watercourse re-design

Effect on flood behavior - Boye





EGLV

/ 4. Decentral Rainwater Management



EGLV

Decentral Rainwater Management

A Component of Flood Provisioning



Objective:
Decoupling of 15% of runoff-influencing surfaces in 15 years



Gewässer

Drainage zur
Versickerung

Reinigungs-
beet

Straße

Retentionssystem
mit Rigole
zur evtl. Versickerung

Offene Rinne mit
Leichtstoffabscheider
und Absperrschieber

Hoffläche mit
durchlässiger
Befestigung


Versickerungs-
mulde



EGLV

Decentral Rainwater Management

A Component of Flood Provisioning



Drainage for
seepage Cleaning
bed

Retention basin system with
infiltration ditch for possible
seepage

Open channel with
light contaminant
separator and shut-off
valve


Yard surface with
permeable surface
Infiltration basin



EGLV

Decentral Rainwater Management

Cascade system






EGLV

Decentral Rainwater Management

Cascade system





EGLV

Decentral Rainwater Management

Water ditch with infiltration






EGLV



Decentral Rainwater Management

Effect of management measures - comparison






EGLV



Decentral Rainwater Management

Effect of management measures catchment Lanferbach





EGLV

/ Nature based measures work
and we can see significant
effects on flood protection



EGLV

Thank You

Emschergenossenschaft
Lippeverband

